What is claimed is:

A radio terminal comprising: 1. content acquisition means for acquiring a 2 content on the Internet by radio; 3 content transfer means for transferring the 4 5 content acquired by said content acquisition means to an external server; 6 7 content request means for, after transfer of the content, requesting the external server to transmit 8 content data converted in accordance with a content 10 reconstruction capability of a self device; 텔 11 content storage means for storing converted ال. ال. إليا 12 content data received from the external server in response to a request/from said content request means; **=** 13 71114 and content reconstruction means for <u>_</u>15 reconstructing the content data stored in said content <u>_</u>16 17 storage means. A terminal according to claim 1, wherein 2. 2 the external server comprises 3 content storage means for storing the content transferred from said radio terminal, and 4 5 transmission/reception means for transmitting/receiving the content and content data 7 to/from said radio terminal using one of radio

Sul

8 communication and cable communication.

- 3. A terminal according to claim 2, wherein the
- 2 external server comprises content reconstruction means
- 3 for reconstructing the content stored in said content
- 4 storage means without any ϕ onversion.

4. A terminal according to claim 3, wherein

2 said terminal further comprises determination

3 means for determining whether the content transferred to

4 the external server can be reconstructed by the self

5 device without any conversion, and

6 when a determination result from said

7 determination means indicates that the content can be

reconstructed by the self device, said content

reconstruction means directly reconstructs the content

10 acquired by said content acquisition means without

receiving the converted content from the external server.

5. A terminal according to claim 1, wherein

2 before the content data from said radio terminal is

3 reconstructed, said content reconstruction means

4 reconstructs in advance, as part of contents of the

5 content, at least part of contents of the content

6 transferred to the external server, which can be

7 reconstructed by the self device.

Conto

three three

9

<u>į.:1</u>1

```
A terminal according to claim 1, wherein
       6.
                  said content acquisition means requests the
    2
       external server to acquire the content, and
    3
    4
                  the external server directly performs data
       transmission/reception operation for content acquisition
    5
    6
       to/from the Internet in response to the content
    7
       acquisition request.
                  A radio terminal comprising:
                  content acquisit/ion means for acquiring a
    2
there there also, there are the also there there there there
    3
       content on the Internet by radio;
    4
                   first content/storage means for storing the
    5
       content acquired by said content acquisition means;
    6
                  content conversion means for converting the
       content stored in said first content storage means into
FIJ 8
       content data corresponding to a content reconstruction
       capability of a self device; and
                  content/reconstruction means for
       reconstructing the content data converted by said
  11
       content conversion means.
  12
                  A terminal according to claim 7, wherein
       8.
                   said terminal further comprises second content
    2
       storage means for storing the content data converted by
    3
    4
       said content conversion means, and
                   said content reconstruction means reconstructs
    5
```

Conto

6

the content data stored in said second content storage

7 means. An information processing system having a radio \terminal connected to the Internet by radio and an 2 external server connected to said radio terminal, 3 said radio terminal comprising: 4 5 content acquisition means for acquiring a content on the Internet by radio; 6 content transfer means for transferring the 7 content acquired by said content acquisition means to 8 said external\server; 9 content request means for requesting said 10 external server\to transmit a content corresponding to a LJ 11 ∰ ∰ 12 reconstruction capability of a self device; and 13 content reconstruction means for reconstructing the content data received from said external server in response to a request from said content request means, and said external server comprising: 17 18 content storage means for storing the content transferred from said radio terminal by said content 19 20 transfer means; 21 content conversion means for converting the content stored in said \downarrow content storage means into 22 content data based on the request from said content 23 request means; and 24 content transmission means for transmitting 25

	/	
26	the content data converted by said content conversion	
27	means to said radio terminal in response to the request	
28	from said content request means.	
	10. A system according to claim 9, wherein	
2	said content acquisition means comprises	
3	an internal server for sending/receiving a	
4	data request and response to/from the Internet, and	
5	a data transfer medium for receiving the	
6	content from the Internet by controlling said internal	
7	server.	
	11. A system according to claim 10, wherein	
2	said content acquisition means sends a content	
3	acquisition request to said external server, and	
4	said external server performs data	
5	transmission/reception operation for content acquisition	
6	6 to/from the Internet through said radio terminal in	
7	response to the content acquisition request.	
	An out ornal prograting terminal genericing	
2	12. An external processing terminal comprising:	
2	content reception means, connected to a radio	
3	terminal for acquiring a content on the Internet, for	
4	receiving the content on the Internet, which is transferred from the radio terminal;	
5		
6	content conversion means for converting the	
7	content rece‡ved by said content reception means into	

μ	á

then then the time then then then the

- content data based on a request from the radio terminal; 8
- content transmission means for transmitting 9
- the content data converted by said content conversion 10
- means to the radio terminal. 11
 - A terminal according to claim 12, further 13.
 - 2 comprising content reconst/ruction means for
 - 3 reconstructing the content received by said content
 - reception means without/any conversion. 4
 - A terminal according to claim 12, wherein 14.
 - 2 said terminal further comprises content
 - 3 storage means for storing the content received by said
 - content reception means, and
- said content conversion means converts the 5
- content stored in said content storage means into the
- content data corresponding to a reconstruction <u>44</u> 7
- capability of the radio terminal when a content
 - 9 transmission request is received from the radio terminal.
 - A terminal according to claim 12, wherein 15.
 - said content/ reception means performs content reception 2
 - 3 operation f_{r}^{t} om the Internet through the radio terminal
 - in response to a content acquisition request from the 4
 - 5 radio terminal.